

DEXTER WILSON ENGINEERING, INC.

WATER • WASTEWATER • RECYCLED WATER

CONSULTING ENGINEERS

**OTAY RANCH
PORTION OF VILLAGE FOUR
II.8 WATER CONSERVATION PLAN**

Adopted May 15, 2018
By Resolution No. 2018-085

**OTAYRANCH
VILLAGE 4 SOUTH
11.8 WATER CONSERVATION PLAN**

December 2016



Prepared By:

Dexter Wilson Engineering, Inc.
2234 Faraday Avenue
Carlsbad, CA 92008
(760) 438-4422

Job Number 509-086

TABLE OF CONTENTS

	<u>PAGE</u>
11-8.1	EXECUTIVE SUMMARY1
11-8.2	INTRODUCTION2
11-8.3	PURPOSE3
11-8.4	PROJECT DESCRIPTION4
11-8.5	WATER SERVICE AND SUPPLY7
11-8.6	PROJECTED WATER USE7
	11-8.6a Potable Water Demand.....7
	11-8.6b Recycled Water Demand.....8
11-8.7	MANDATED WATER CONSERVATION MEASURES10
11-8.8	LOCAL WATER CONSERVATION REQUIREMENTS10
	Residential Measures - Mandatory11
	Non-Residential Measures - Mandatory11
	Non-Mandatory Measures11
11-8.9	WATER CONSERVATION ESTIMATED SAVINGS12
	Water Conservation Summary.....14
11-8.10	IMPLEMENTATION MEASURES.....15
11-8.11	MONITORING15
	REFERENCES16

LIST OF TABLES

	<u>PAGE</u>
TABLE 1	VILLAGE 4 SOUTH LAND USE SUMMARY5
TABLE 2	PROJECTED POTABLE WATER DEMANDS FOR OTAY RANCH VILLAGE 4 SOUTH.....7
TABLE 3	OTAY RANCH VILLAGE 4 SOUTH PROJECTED RECYCLED WATER DEMANDS8
TABLE 4	MANDATED WATER CONSERVATION DEVICES 10
TABLE 5	VILLAGE 4 SOUTH MULTI-FAMILY RESIDENTIAL PROPOSED WATER CONSERVATION MEASURES 13
TABLE 6	VILLAGE 4 SOUTH SINGLE FAMILY RESIDENTIAL PROPOSED WATER CONSERVATION MEASURES 13
TABLE 7	VILLAGE 4 SOUTH WATER CONSERVATION SUMMARY14
TABLE 8	VILLAGE 4 SOUTH IMPLEMENTATION AND MONITORING PROGRAM..... 15

LIST OF FIGURES

	<u>PAGE</u>
FIGURE 1 VILLAGE 4 SOUTH PROPOSED LAND USE PLAN.....	6
FIGURE 2 VILLAGE 4 SOUTH RECYCLED WATER USE AREAS	9

ABBREVIATIONS

ac -	acre
ac-ft -	acre-foot
cfcd -	community facilities district
cfs -	cubic feet per second
gpd-	gallons per day
gpf-	gallons per flush
gpm-	gallons per minute
HOA-	homeowner's association
mgd-	million gallons per day

USEFUL CONVERSIONS

1 acre-foot	=	325,829 gallons
1 mgd	=	1,000,000 gallons/day
1 cfs	=	448.8 gpm
1 cubic foot	=	7.48 gallons
1 mgd	=	694.4 gpm

11-8.1 EXECUTIVE SUMMARY

The City of Chula Vista's Growth Management Ordinance (CVMC 19.09.050C) requires all development projects with 50 or more dwelling units to prepare a Water Conservation Plan at the time of the Sectional Planning Area (SPA) Plan preparation. This Water Conservation Plan presents a review of presently available technologies and practices which result in water conservation in primarily residential development. This report presents water conservation measures that will be incorporated into the planning and design of the Otay Ranch Village 4 South project, including the requirements outlined in the Landscape Water Conservation Ordinance.

Proposed development within Village 4 South includes 350 mixed density residential dwelling units, community purpose facilities, open space, and preserve lands.

The Otay Water District is the local water agency that will supply potable water and recycled water to Village 4 South. The total estimated average potable and recycled water use for the project is 0.109 mgd and 0.061 mgd, respectively, as analyzed by the Overview of Water Service for Otay Ranch Village 4 South (December 2016).

The State and local government mandate a number of water conservation measures. The focus of this study is on the implementation of water conservation measures which are not mandated by the State. The project will install hot water pipe insulation, pressure reducing valves, and water efficient dishwashers in all single family and multi-family residential units. Additionally, the developer will install water efficient landscaping and dual flush toilets in the single and multi-family residential units. The project will be designed in compliance with the Landscape Water Conservation Ordinance. At buildout of the project, implementation of the above measures along with the use of recycled water would result in an estimated water savings of 70,856 gallons per day for the project, reducing overall potable water demand to 0.098 mgd.

11-8.2 INTRODUCTION

In recent years, the subject of water conservation has received increased attention. The growing awareness of the need and value of water conservation was sparked by local and regional water purveyors concerned about meeting the future water demands of their customers, particularly during drought conditions. Water conservation provides an alternative approach to the problem of finding new water sources to meet the water demand for a proposed community. The intent of water conservation is to manage water demand so the customers receive adequate service but use less water.

Much has been done to educate consumers about limitations of water supply, the serious implications of a long-term drought and the need for water conservation, but there is a practical limit to the percentage reduction of water use in established communities. This limit is a result of the types of plumbing fixtures installed in existing homes, as well as the difficulty in altering consumers' established patterns of water use. Any water conservation effort, voluntary or mandatory, requires the cooperation of the public. Public information should be utilized to inform and convince the consumer that a change in personal water use habits is in everyone's best interest.

In recent years, the private development sector has become more attuned to the concerns of water availability and has recognized the value of addressing water conservation issues throughout planned development projects. By incorporating low water use plumbing fixtures, promoting drought tolerant landscaping, and providing educational materials to homeowners within the development project, private developments can cultivate an interest in water conservation and establish new patterns of water use. These efforts can have significant impacts with regard to reducing the need for securing and importing larger quantities of water for use in San Diego County. The City of Chula Vista similarly recognized these benefits and developed the Landscaping Water Conservation Ordinance which went into effect on January 1, 2010 and requires homeowners to be efficient with the landscape systems and plant selection.

In 2006, the State repealed the Water Conservation in Landscaping Act and adopted a new Water Conservation in Landscaping Act, Government Code Sections 65591 et seq. The new Act requires the Department of Water Resources to update the previously adopted model efficient landscape ordinance that provides for greater efforts at water conservation and more efficient use of water in landscaping. Government Code Section 65595 required that on or before January 1, 2010 a local agency had to adopt a water efficient landscape ordinance that was at

least as effective in conserving water as the updated model ordinance or adopt the model ordinance.

The Chula Vista City Council adopted an ordinance that complies with the findings and declaration's of the State's Water Conservation in Landscaping Act and is as effective as the State's updated model water efficient landscape ordinance. This Water Conservation Plan incorporates the requirements of the City ordinance.

The Otay Ranch Village 4 South project is part of the Otay Ranch General Development Plan (GDP). The Otay Ranch GDP was adopted in 1993 and included objectives for water conservation to be incorporated into the development of Otay Ranch. These objectives included the implementation of water efficient fixtures, increased use of drought tolerant landscaping, and use of recycled water for irrigation. The objective of these measures is to reduce the per capita water use within Otay Ranch by 25 percent as compared to 1989 County wide per capita levels. This report will demonstrate how the project applicant, in partnership with the Otay Water District and the City are meeting these objectives.

11-8.3 PURPOSE

The State Legislature determined in the Water Conservation in Landscaping Act that the State's water resources are in limited supply. The Legislature also recognized that while landscaping is essential to the quality of life in California, landscape maintenance and design must be water efficient. The City of Chula Vista's Growth Management Ordinance requires all major development projects (50 dwelling units or greater) to prepare a Water Conservation Plan at the time of SPA Plan preparation. The City has adopted guidelines for the preparation and implementation of required water conservation plans.

This report presents water conservation measures which will be incorporated into the planning and design of the project, including an estimate of the anticipated water savings. Approximately half of the water used by residences in California is used outdoors. For this reason, the City's Landscape Water Conservation Ordinance will be an important component of reduced water usage.

Although not covered in detail, there are several secondary benefits to conserving water that should be kept in mind when reviewing material in this report. These benefits include reduced sewage flows, reduced natural gas use, and reduced electricity use. Using less water in the shower, for example, reduces the amount of water input into the sewer system and reduces the amount of energy required to heat the water.

II - 8.4 PROJECT DESCRIPTION

Proposed development within the Village 4 South boundary includes 350 mixed density residential dwelling units, community purpose facilities, open space slopes, open space preserve, and circulation elements. The project access will be through the proposed Village 8 West project to the east. The Village 4 South project will extend Main Street westerly to the location of a future bridge across Wolf Canyon. The Main Street bridge and extension of Main Street westerly to Village 4 South will be constructed by others through City development impact fees.

Figure 1 provides the proposed land use plan for the project and Table 1 provides a land use summary.

**TABLE 1
VILLAGE 4 SOUTH
LAND USE SUMMARY**

Planning Area	Gross Acres	Maximum Residential Units
Single Family		
R-1	15.18	73
Subtotal	15.18	73
Multi-Family		
R-2A	7.91	110
R2-B	4.24	40
R-3	7.16	127
Subtotal	19.31	277
Open Space		
OS-1	0.59	0
OS-2	3.03	0
OS-3	3.08	0
OS-4	1.57	0
OS-5	0.58	0
OS-6	3.11	0
OS-8	1.35	0
OS-9	6.87	0
Subtotal	20.19	0
Preserve		
OS-7	1.37	0
OS-10	6.67	0
OS-11	44.27	0
OS-12	44.89	0
Subtotal	97.20	0
Community Purpose		
CPF-1	1.21	0
CPS-2	0.87	0
Subtotal	2.08	0
Circulation		
Internal Circulation	1.24	0
External Circulation	10.82	0
Subtotal	12.06	0
TOTAL	166.02	350




FIGURE 1

LAND USE PLAN
VILLAGE 4 SOUTH

DEXTER WILSON ENGINEERING, INC.
CONSULTING ENGINEERS
C7001 4 1J-44Z

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

11-8.5 WATER SERVICE AND SUPPLY

The Otay Water District is the local water agency that will supply potable water and recycled water to Village 4 South. The Otay Water District relies solely on the San Diego County Water Authority (SDCWA) for its potable water supply. The SDCWA is the largest of 27 member agencies of the Metropolitan Water District of Southern California (MWD), which is the primary importer of domestic water in Southern California.

11-8.6 PROJECTED WATER USE

11-8.6a Potable Water Demand

Water use is affected by, among other things, climate and the type of development. In California, recent trends towards the construction of more multi-unit housing, the general reduction in residential lot size, and a number of local agency water conservation programs are all tending to reduce per capita water consumption.

Potable water demands were projected by taking the total development for each land use and multiplying by water use factors. Table 2 provides the projected potable water demand for Village 4 South. The total estimated potable water use is 0.109 mgd. The potable water usage will be reduced by the use of recycled water within common landscaped areas of the project and implementation of water conservation measures (see Table 7). Potable water use factors were taken from the April 2013 Otay Water District Water Resources Master Plan Amendment.


TABLE 2 PROJECTED POTABLE WATER DEMANDS FOR OTAY RANCH VILLAGE 4 SOUTH			
Land Use	Quantity	Unit Demand	Average Day Demand, gpd
SF Residential (3-8 DU/Ac)	73 units	500 gpd/unit	36,500
MF Residential	277 units	255 gpd/unit	70,635
Community Purpose Facility	2.08 acres	714 gpd/ac	1,485
TOTAL			108,620

II-8.6b Recycled Water Demand

In accordance with Section 26 of the Otay Water District Code of Ordinances, Village 4 South will utilize recycled water for the irrigation of open space slopes, parkway and median landscaping, and the common areas of the multi-family residential site. Table 3 provides the estimated recycled water demand. The total estimated recycled water demand is 0.061 mgd. Figures 2 provides the potential recycled water use areas for Village 4 South.

TABLE 3 OTAY RANCH VILLAGE 4 SOUTH PROJECTED RECYCLED WATER DEMANDS							
Land Use	Quantity		Percentage- to be Irrigated	Irrigated Acreage	Recycled Water Irrigation Factor		Average Recycled Water Demand, gpd
Open Space	20.19	acres	100	20.19	2,155	gpd/acre	43,504
Parkway Landscaping ¹	1.70	acres	100	1.7	2,155	gpd/acre	3,664
MF Residential	277	units	15	--	45	gpd/unit	12,465
Community Purpose Facility	2.08	acres	20	0.42	2,155	gpd/acre	905
TOTAL							60,643

¹. Parkway landscaping estimated as 19 feet of landscape buffer for stretch of 3,800 feet on Main Street



11-8.7 MANDATED WATER CONSERVATION MEASURES

The State and many local governments have mandated a number of water conservation measures. Table 4 summarizes the conservation measures that are mandated by the State of California and also provides the requirements of the 2016 California Green Building Standards Code that will go into effect January 1, 2017.

TABLE 4 MANDATED WATER CONSERVATION DEVICES		
Device	Baseline Requirement	2016 Green Building Code Requirement
Showerheads	2.5 gpm	2.0 gpm
Lavatory Faucets	2.2 gpm	1.2 gpm
Sink Faucets	2.2 gpm	1.8 gpm
Metering Faucets in Public Restrooms	0.25-0.75 gal/cycle	0.25 gal/cycle
Residential Water Closets	1.6 gpf	1.28 gpf
Flushometer Valves	1.6 gpf	1.28 gpf
Commercial Water Closets	1.6 gpf	1.28 gpf
Urinals	1.0 gpf	0.125/0.5 gpf ¹

¹ Wall mounted urinals shall not exceed 1.125 gpf. All other urinals shall not exceed 0.5 gpf.

11-8.8 LOCAL WATER CONSERVATION REQUIREMENTS

There are a number of water conserving measures required by the Otay Water District and City of Chula Vista Landscape Manual. These include the use of recycled water for the irrigation of parks, median landscaping, open space slopes, and common landscaped areas where feasible. The Landscape Manual also requires some drought tolerant plant selection in the landscaping plan and the use of evapotranspiration controllers for parks and common landscaped areas. Additionally, the Landscape Water Conservation Ordinance that went into effect January 1, 2010 is expected to reduce outdoor water usage, particularly in single family residential lots.

The City of Chula Vista Water Conservation Plan Guidelines requires the following three indoor water conservation measures for residential units and non-residential units. These measures are mandatory.

Residential Measures - Mandatory

1. Hot Water Pipe Insulation. This measure involves the insulation of hot water pipes with 1-inch walled pipe insulation and separation of hot and cold water piping. This measure is estimated to cost an additional \$50 during initial construction and result in annual savings of 2,400 gallons per residential unit.
2. Pressure Reducing Valves. Setting the maximum service pressure to 60 psi reduces any leakage present and prevents excessive flow of water from all appliances and fixtures. This measure is estimated to cost \$100 during initial construction and result in annual water savings of 1,800 gallons per residential unit.
3. Water Efficient Dishwashers. There are a number of water efficient dishwashers available that carry the Energy Star label. These units cost an additional \$500 on average and result in an estimated yearly water savings of 650 gallons per residential unit.

Non-Residential Measures - Mandatory

1. Hot water pipe insulation with 1-inch walled pipe insulation.
2. Compliance with Division 5.3 of the California Green Building Standards Code in effect at the time of plan submittal.
3. Pressure reducing valves.

Non-Mandatory Measures

In addition, to comply with the City's current water conservation requirements, the developer must select at least one outdoor measure and one additional indoor or outdoor water conservation measure for residential development. Water conservation measures not included in the City's Residential Water Conservation Measures list may be proposed by the developer. The developer will implement, from the City's list of approved measures, the following two additional non-mandatory measures in single family residential units and multi-family residential units.

1. Dual Flush Toilets. The developer will install dual flush toilets within the project. This measure is estimated to cost \$200 per household and result in annual water savings of 4,000 gallons per year per residential unit.
2. Water Efficient Landscaping. The developer will comply with the City's Landscape Water Conservation Ordinance to reduce outdoor water use. This will include a more drought tolerant plant selection including less turf area as well as installation of water efficient irrigation systems. While the estimated savings from this measure is difficult to quantify at this stage of planning, it is estimated that outdoor water usage at single family residences will be reduced by a minimum of 10 percent, or approximately 25 gpd per home.

Additionally, the City has recently adopted an ordinance requiring new residential development to provide a stub-out for a clothes washer gray water outlet and a stub-out for a gray water irrigation system. These stubs will allow the future homeowners to more easily connect a gray water system in the future. Since the gray water system is not actually being installed by the developer and there is no way to quantify how many homeowners will put these systems into use, no credit has been taken for this measure in this report.

11-8.9 WATER CONSERVATION ESTIMATED SAVINGS

The estimated water savings for water conservation measures are based on the estimates provided in Section 11-8.8 of this report. The potential water savings varies widely based on land use types. Multi-family residential units, for example, have much less opportunity to implement additional water saving measures than low density single family residential units. This is primarily because the common landscaped areas of multi-family units are required to be irrigated with recycled water and, thus, there are no outdoor water conservation measures that can directly offset potable water usage in these areas.

Tables 5 and 6 summarize the total estimated water savings for Village 4 South based on the proposed required measures and non-mandatory measures described above.

**TABLE 5
VILLAGE 4 SOUTH MULTI-FAMILY RESIDENTIAL
PROPOSED WATER CONSERVATION MEASURES**

Measure	Location	Yearly Water Savings, gal/unit	Daily Water Savings, gpcl/unit	Percentage of Total Usage ¹	Project Total Water Savings, gpd²
Hot Water Pipe Insulation	Indoor	2,400	6.58	2.6	1,823
Pressure Reducing Valves	Indoor	1,800	4.93	1.9	1,366
Water Efficient Dishwashers	Indoor	650	1.78	0.7	493
Dual Flush Toilets	Indoor	4,000	10.96	4.3	3,036
Water Efficient Landscaping	Outdoor	-- ³	--	--	-- ³
TOTAL			24.25	9.5	6,718

1. Based on 255 gpd/unit average usage.

2. Based on 277 Multi-Family Residential Units.

3. This measure will reduce the amount of recycled water used for irrigation and has, therefore, not been included in the total potable water savings.

**TABLE 6
VILLAGE 4 SOUTH SINGLE FAMILY RESIDENTIAL
PROPOSED WATER CONSERVATION MEASURES**

Measure	Location	Yearly Water Savings, gal/unit	Daily Water Savings, gpcl/unit	Percentage of Total Usage ¹	Project Total Water Savings, gpd²
Hot Water Pipe Insulation	Indoor	2,400	6.58	1.3	480
Pressure Reducing Valves	Indoor	1,800	4.93	1.0	360
Water Efficient Dishwashers	Indoor	650	1.78	0.4	130
Dual Flush Toilets	Indoor	4,000	10.96	2.2	800
Water Efficient Landscaping	Outdoor	9,125	25.00	5.0	1,825
TOTAL			49.25	9.8	3,595

¹. Based on 500 gpd/unit average usage.

². Based on 73 Single-Family Residential Units.

Water Conservation Sununary

As detailed in this report, the project is committed to being water efficient through the use of recycled water for irrigation and utilizing other water conservation devices and measures. Table 7 summarizes the baseline potable water use if recycled water and water conservation measures were not utilized and provides the anticipated water savings outlined in this report. As shown, the use of recycled water and other water conservation measures is expected to reduce potable water usage by 70,856 gpd, or 41.9 percent.

As evidenced by the information contained in this study, the objectives of the Otay Ranch GDP to incorporate water saving fixtures, drought tolerant landscaping, and recycled water usage into the development are being met. Based on information contained in the 1989 San Diego County Water Authority Annual Report, average water use within the Otay Water District was 220 gallons per day per capita (20,469.7 AF for a population of 83,000) . Using 2010 Census data, the average persons per household in Chula Vista is 3.21. This equates to a total population of 1,124 residents in Village 4 South. The per capita net potable water usage based on the water conservation measures identified in this Water Conservation Plan is approximately 87 gpd. Based on 2007 data from the OWD 2008 Master Plan, per capita water usage has dropped to approximately 103 gpd (33.26 mgd for a population of 186,000). These per capita numbers include non-residential demands, but clearly indicate the effectiveness that the above measures are having and this trend is expected to continue as adopted guidelines are increasingly focused on reducing per capita water use.

**TABLE 7
VILLAGE 4 SOUTH WATER CONSERVATION SUMMARY**

Description	Average Use, gpd
Total Water Use	
Potable Water Use (Table 2)	108,620
Recycled Water Use (Table 3)	60,543
TOTAL BASELINE WATER USE	169,163
Water Conservation Savings	
Recycled Water (Table 3)	60,543
Multi Family Measures (Table 5)	6,718
Single Family Measures (Table 6)	3,595
TOTAL CONSERVATION SAVINGS	70,856
Net Potable Water Usage ¹	98,307
Reduction from Baseline Usage,%	41.9

¹. Potable water use (Table 2) minus conservation savings (Tables 5 and 6).

11-8.10 IMPLEMENTATION MEASURES

Tables 5 and 6 list water conservation measures included in the residential component of the project which are not mandated by the State. The non-residential development within the project will utilize hot water pipe insulation, pressure reducing valves, water efficient landscape systems, and evapotranspiration controllers as well as meeting all requirements of Division 5.3 of the California Green Building Standards Code in effect at the time of plan submittal.

II-8.11 MONITORING

For the water conservation measures proposed to be incorporated into the project, Table 8 summarizes the implementation timing for each measure, as well as the responsibility for monitoring the implementation of the measures.

TABLE 8 VILLAGE 4 SOUTH IMPLEMENTATION AND MONITORING PROGRAM			
Water Conservation Measure	Responsibility for Implementation	Timing	Monitoring of the Implementation
Hot Water Pipe Insulation	Developer	Prior to Issuance of Building Permit	City Building Department
Pressure Reducing Valves	Developer	Prior to Issuance of Building Permit	City Building Department/Otay Water District
Water Efficient Dishwashers	Developer	Prior to Issuance of Building Permit	City Building Department
Dual Flush Toilets	Developer	Prior to Issuance of Building Permit	City Building Department
Water Efficient Landscape System	Developer	Prior to Issuance of Building Permit	City Building Department
Clothes Washer Gray Water Stub-Outs	Developer	Prior to Issuance of Building Permit	City Building Department

REFERENCES

1. Bahman Sheikh, Water Use Efficiency, Strategies for Proposed Residential Developments, September 2001.
2. City of Chula Vista Water Conservation Plan Guidelines, adopted May 27, 2003.
3. Chapter 20.12 Chula Vista Landscape Water Conservation Ordinance (Ord. 3146) December 8, 2009
4. Overview of Water Service for Otay Ranch Village 4 South, December 2016, Dexter Wilson Engineering, Inc.
5. Otay Water District Water Resources Master Plan, October 2008, PBS&J, Last Amended April 2013.
6. San Diego County Water Authority Annual Report, 1989.
7. California Green Building Standards Code, 2016.