

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 1 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

GENERAL INFORMATION					
01	Project Name	2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG			
02	Run Title	Title 24 Analysis			
03	Project Location	276 4th Avenue			
04	City	Chula Vista	05	Standards Version	2022
06	Zip code	91910	07	Software Version	EnergyPro 9.1
08	Climate Zone	10	09	Front Orientation (deg/ Cardinal)	All orientations
10	Building Type	Single family	11	Number of Dwelling Units	1
12	Project Scope	Newly Constructed	13	Number of Bedrooms	2
14	Addition Cond. Floor Area (ft <sup>2</sup> )	0	15	Number of Stories	1
16	Existing Cond. Floor Area (ft <sup>2</sup> )	n/a	17	Fenestration Average U-factor	0.3
18	Total Cond. Floor Area (ft <sup>2</sup> )	1199	19	Glazing Percentage (%)	11.38%
20	ADU Bedroom Count	n/a			

COMPLIANCE RESULTS	
01	Building Complies with Computer Performance
02	This building incorporates features that require field testing and/or verification by a certified HERS rater under the supervision of a CEC-approved HERS provider.
03	This building incorporates one or more Special Features shown below



Registration Number: 423-P01011176A-000-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

*NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.*

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 2 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

ENERGY DESIGN RATINGS						
	Energy Design Ratings			Compliance Margins		
	Source Energy (EDR1)	Efficiency <sup>1</sup> EDR (EDR2efficiency)	Total <sup>2</sup> EDR (EDR2total)	Source Energy (EDR1)	Efficiency <sup>1</sup> EDR (EDR2efficiency)	Total <sup>2</sup> EDR (EDR2total)
<b>Standard Design</b>	35.7	38.2	28			
<b>Proposed Design</b>						
<b>North Facing</b>	33.7	34.4	26.1	2	3.8	1.9
<b>East Facing</b>	33.9	36.6	27.2	1.8	1.6	0.8
<b>South Facing</b>	33.1	34.2	26	2.6	4	2
<b>West Facing</b>	34.3	38	27.9	1.4	0.2	0.1
<b>RESULT<sup>3</sup>: PASS</b>						
<sup>1</sup> Efficiency EDR includes improvements like a better building envelope and more efficient equipment <sup>2</sup> Total EDR includes efficiency and demand response measures such as photovoltaic (PV) system and batteries <sup>3</sup> Building complies when source energy, efficiency and total compliance margins are greater than or equal to zero and unmet load hour limits are not exceeded						
<ul style="list-style-type: none"> <li>Standard Design PV Capacity: 2.11 kWdc</li> <li>Proposed PV Capacity Scaling: North (2.11 kWdc) East (2.11 kWdc) South (2.11 kWdc) West (2.11 kWdc)</li> </ul>						

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 3 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

<b>ENERGY USE SUMMARY</b>						
<b>Energy Use</b>	<b>Standard Design Source Energy (EDR1) (kBtu/ft<sup>2</sup> -yr)</b>	<b>Standard Design TDV Energy (EDR2) (kTDV/ft<sup>2</sup> -yr)</b>	<b>Proposed Design Source Energy (EDR1) (kBtu/ft<sup>2</sup> -yr)</b>	<b>Proposed Design TDV Energy (EDR2) (kTDV/ft<sup>2</sup> -yr)</b>	<b>Compliance Margin (EDR1)</b>	<b>Compliance Margin (EDR2)</b>
Space Heating	0.99	4.39	1.33	9.55	-0.34	-5.16
Space Cooling	1.09	23.45	0.75	18.45	0.34	5
IAQ Ventilation	0.37	3.92	0.37	3.92	0	0
Water Heating	1.81	18.39	1.19	13.3	0.62	5.09
Self Utilization/Flexibility Credit				0		0
<b>North Facing Efficiency Compliance Total</b>	<b>4.26</b>	<b>50.15</b>	<b>3.64</b>	<b>45.22</b>	<b>0.62</b>	<b>4.93</b>
Space Heating	0.99	4.39	1.24	8.77	-0.25	-4.38
Space Cooling	1.09	23.45	0.91	22.2	0.18	1.25
IAQ Ventilation	0.37	3.92	0.37	3.92	0	0
Water Heating	1.81	18.39	1.18	13.22	0.63	5.17
Self Utilization/Flexibility Credit				0		0
<b>East Facing Efficiency Compliance Total</b>	<b>4.26</b>	<b>50.15</b>	<b>3.7</b>	<b>48.11</b>	<b>0.56</b>	<b>2.04</b>

Registration Number: 423-P01011176A-000-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

*NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.*

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 4 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

ENERGY USE SUMMARY						
Energy Use	Standard Design Source Energy (EDR1) (kBtu/ft <sup>2</sup> -yr)	Standard Design TDV Energy (EDR2) (kTDV/ft <sup>2</sup> -yr)	Proposed Design Source Energy (EDR1) (kBtu/ft <sup>2</sup> -yr)	Proposed Design TDV Energy (EDR2) (kTDV/ft <sup>2</sup> -yr)	Compliance Margin (EDR1)	Compliance Margin (EDR2)
Space Heating	0.99	4.39	1.09	7.89	-0.1	-3.5
Space Cooling	1.09	23.45	0.8	19.82	0.29	3.63
IAQ Ventilation	0.37	3.92	0.37	3.92	0	0
Water Heating	1.81	18.39	1.18	13.25	0.63	5.14
Self Utilization/Flexibility Credit				0		0
<b>South Facing Efficiency Compliance Total</b>	<b>4.26</b>	<b>50.15</b>	<b>3.44</b>	<b>44.88</b>	<b>0.82</b>	<b>5.27</b>
Space Heating	0.99	4.39	1.35	9.8	-0.36	-5.41
Space Cooling	1.09	23.45	0.93	22.88	0.16	0.57
IAQ Ventilation	0.37	3.92	0.37	3.92	0	0
Water Heating	1.81	18.39	1.19	13.26	0.62	5.13
Self Utilization/Flexibility Credit				0		0
<b>West Facing Efficiency Compliance Total</b>	<b>4.26</b>	<b>50.15</b>	<b>3.84</b>	<b>49.86</b>	<b>0.42</b>	<b>0.29</b>

Registration Number: 423-P01011176A-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 5 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

ENERGY USE INTENSITY				
	Standard Design (kBtu/ft <sup>2</sup> - yr )	Proposed Design (kBtu/ft <sup>2</sup> - yr )	Compliance Margin (kBtu/ft <sup>2</sup> - yr )	Margin Percentage
<b>North Facing</b>				
Gross EUI <sup>1</sup>	17	15.81	1.19	7
Net EUI <sup>2</sup>	6.75	5.57	1.18	17.48
<b>East Facing</b>				
Gross EUI <sup>1</sup>	17	16.13	0.87	5.12
Net EUI <sup>2</sup>	6.75	5.88	0.87	12.89
<b>South Facing</b>				
Gross EUI <sup>1</sup>	17	15.71	1.29	7.59
Net EUI <sup>2</sup>	6.75	5.47	1.28	18.96
<b>West Facing</b>				
Gross EUI <sup>1</sup>	17	16.19	0.81	4.76
Net EUI <sup>2</sup>	6.75	5.95	0.8	11.85
Notes 1. Gross EUI is Energy Use Total (not including PV) / Total Building Area. 2. Net EUI is Energy Use Total (including PV) / Total Building Area.				

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 6 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

REQUIRED PV SYSTEMS											
01	02	03	04	05	06	07	08	09	10	11	12
DC System Size (kWdc)	Exception	Module Type	Array Type	Power Electronics	CFI	Azimuth (deg)	Tilt Input	Array Angle (deg)	Tilt: (x in 12)	Inverter Eff. (%)	Annual Solar Access (%)
2.11	NA	Standard (14-17%)	Fixed	none	true	150-270	n/a	n/a	<=7:12	96	98

REQUIRED SPECIAL FEATURES
The following are features that must be installed as condition for meeting the modeled energy performance for this computer analysis.
<ul style="list-style-type: none"> <li>Insulation below roof deck</li> <li>Northwest Energy Efficiency Alliance (NEEA) rated heat pump water heater; specific brand/model, or equivalent, must be installed</li> </ul>

HERS FEATURE SUMMARY
The following is a summary of the features that must be field-verified by a certified HERS Rater as a condition for meeting the modeled energy performance for this computer analysis. Additional detail is provided in the building tables below. Registered CF2Rs and CF3Rs are required to be completed in the HERS Registry
<ul style="list-style-type: none"> <li>Quality insulation installation (QII)</li> <li>Indoor air quality ventilation</li> <li>Kitchen range hood</li> <li>Verified heat pump rated heating capacity</li> </ul>

BUILDING - FEATURES INFORMATION						
01	02	03	04	05	06	07
Project Name	Conditioned Floor Area (ft <sup>2</sup> )	Number of Dwelling Units	Number of Bedrooms	Number of Zones	Number of Ventilation Cooling Systems	Number of Water Heating Systems
2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG	1199	1	2	1	0	1

ZONE INFORMATION						
01	02	03	04	05	06	07
Zone Name	Zone Type	HVAC System Name	Zone Floor Area (ft <sup>2</sup> )	Avg. Ceiling Height	Water Heating System 1	Status
New ADU	Conditioned	New HVAC1	1199	8	DHW Sys 1	New

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 7 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

OPAQUE SURFACES							
01	02	03	04	05	06	07	08
Name	Zone	Construction	Azimuth	Orientation	Gross Area (ft <sup>2</sup> )	Window and Door Area (ft <sup>2</sup> )	Tilt (deg)
New Front Wall	New ADU	R-21 w/R-5 Wall	0	Front	397	95	90
New Left Wall	New ADU	R-21 w/R-5 Wall	90	Left	261	24	90
New Back Wall	New ADU	R-21 w/R-5 Wall	180	Back	394	37.5	90
New Right Wall	New ADU	R-21 w/R-5 Wall	270	Right	248	0	90
New Roof Attic	New ADU	R-38 w/R-19 B.R.D.	n/a	n/a	1199	n/a	n/a

ATTIC							
01	02	03	04	05	06	07	08
Name	Construction	Type	Roof Rise (x in 12)	Roof Reflectance	Roof Emittance	Radiant Barrier	Cool Roof
Attic New ADU	Attic RoofNew ADU	Ventilated	4.5	0.1	0.85	No	No

FENESTRATION / GLAZING													
01	02	03	04	05	06	07	08	09	10	11	12	13	14
Name	Type	Surface	Orientation	Azimuth	Width (ft)	Height (ft)	Mult.	Area (ft <sup>2</sup> )	U-factor	U-factor Source	SHGC	SHGC Source	Exterior Shading
Window W4	Window	New Front Wall	Front	0			1	24	0.3	NFRC	0.23	NFRC	Bug Screen
Window W3	Window	New Front Wall	Front	0			1	3	0.3	NFRC	0.23	NFRC	Bug Screen
Window W1	Window	New Front Wall	Front	0			1	24	0.3	NFRC	0.23	NFRC	Bug Screen
Window W9	Window	New Front Wall	Front	0			1	24	0.3	NFRC	0.23	NFRC	Bug Screen
Window W8	Window	New Left Wall	Left	90			1	12	0.3	NFRC	0.23	NFRC	Bug Screen
Window W2	Window	New Left Wall	Left	90			1	12	0.3	NFRC	0.23	NFRC	Bug Screen
Window W6	Window	New Back Wall	Back	180			1	10.5	0.3	NFRC	0.23	NFRC	Bug Screen

Registration Number: 423-P01011176A-000-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 8 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR

FENESTRATION / GLAZING													
SOG.ribd22x													
01	02	03	04	05	06	07	08	09	10	11	12	13	14
Name	Type	Surface	Orientation	Azimuth	Width (ft)	Height (ft)	Mult.	Area (ft <sup>2</sup> )	U-factor	U-factor Source	SHGC	SHGC Source	Exterior Shading
Window W7	Window	New Back Wall	Back	180			1	3	0.3	NFRC	0.23	NFRC	Bug Screen
Window W5	Window	New Back Wall	Back	180			1	24	0.3	NFRC	0.23	NFRC	Bug Screen

OPAQUE DOORS			
01	02	03	04
Name	Side of Building	Area (ft <sup>2</sup> )	U-factor
Front Door D1	New Front Wall	20	0.2

SLAB FLOORS							
01	02	03	04	05	06	07	08
Name	Zone	Area (ft <sup>2</sup> )	Perimeter (ft)	Edge Insul. R-value and Depth	Edge Insul. R-value and Depth	Carpeted Fraction	Heated
New Slab-on-Grade	New ADU	1199	0.1	none	0	80%	No

OPAQUE SURFACE CONSTRUCTIONS							
01	02	03	04	05	06	07	08
Construction Name	Surface Type	Construction Type	Framing	Total Cavity R-value	Interior / Exterior Continuous R-value	U-factor	Assembly Layers
R-21 w/R-5 Wall	Exterior Walls	Wood Framed Wall	2x6 @ 16 in. O. C.	R-21	None / 5	0.048	Inside Finish: Gypsum Board Cavity / Frame: R-21 / 2x6 Sheathing / Insulation: R-5 Sheathing Exterior Finish: 3 Coat Stucco

Registration Number: 423-P01011176A-000-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901



**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 9 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR

OPAQUE SURFACE CONSTRUCTIONS							
01	02	03	04	05	06	07	08
Construction Name	Surface Type	Construction Type	Framing	Total Cavity R-value	Interior / Exterior Continuous R-value	U-factor	Assembly Layers
Attic RoofNew ADU	Attic Roofs	Wood Framed Ceiling	2x4 @ 24 in. O. C.	R-19	None / 0	0.059	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: R-13.0 / 2x4 Around Roof Joists: R-6.0 insul.
R-38 w/R-19 B.R.D.	Ceilings (below attic)	Wood Framed Ceiling	2x4 @ 24 in. O. C.	R-38	None / None	0.025	Over Ceiling Joists: R-28.9 insul. Cavity / Frame: R-9.1 / 2x4 Inside Finish: Gypsum Board

BUILDING ENVELOPE - HERS VERIFICATION				
01	02	03	04	05
Quality Insulation Installation (QII)	High R-value Spray Foam Insulation	Building Envelope Air Leakage	CFM50	CFM50
Required	Not Required	N/A	n/a	n/a

WATER HEATING SYSTEMS								
01	02	03	04	05	06	07	08	09
Name	System Type	Distribution Type	Water Heater Name	Number of Units	Solar Heating System	Compact Distribution	HERS Verification	Water Heater Name (#)
DHW Sys 1	Domestic Hot Water (DHW)	Standard	DHW Heater 1	1	n/a	None	n/a	DHW Heater 1 (1)

WATER HEATERS - NEEA HEAT PUMP							
01	02	03	04	05	06	07	08
Name	# of Units	Tank Vol. (gal)	NEEA Heat Pump Brand	NEEA Heat Pump Model	Tank Location	Duct Inlet Air Source	Duct Outlet Air Source
DHW Heater 1	1	50	AOSmith	AOSmithHPTU50	Outside	New ADU	New ADU

Registration Number: 423-P01011176A-000-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG

**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 10 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

WATER HEATING - HERS VERIFICATION						
01	02	03	04	05	06	07
Name	Pipe Insulation	Parallel Piping	Compact Distribution	Compact Distribution Type	Recirculation Control	Shower Drain Water Heat Recovery
DHW Sys 1 - 1/1	Not Required	Not Required	Not Required	None	Not Required	Not Required

SPACE CONDITIONING SYSTEMS								
01	02	03	04	05	06	07	08	09
Name	System Type	Heating Unit Name	Heating Equipment Count	Cooling Unit Name	Cooling Equipment Count	Fan Name	Distribution Name	Required Thermostat Type
New HVAC1	Heat pump heating cooling	Heat Pump System 1	1	Heat Pump System 1	1	n/a	n/a	Setback

HVAC - HEAT PUMPS												
01	02	03	04	05	06	07	08	09	10	11	12	13
Name	System Type	Number of Units	Heating				Cooling			Zonally Controlled	Compressor Type	HERS Verification
			Efficiency Type	HSPF / HSPF2 / COP	Cap 47	Cap 17	Efficiency Type	SEER / SEER2	EER / EER / CEER			
Heat Pump System 1	Ductless MiniSplit HP	1	HSPF2	7.5	36000	24000	EER2SEER2	14.3	11.7	Not Zonal	Single Speed	Heat Pump System 1-hers-htpump

HVAC HEAT PUMPS - HERS VERIFICATION								
01	02	03	04	05	06	07	08	09
Name	Verified Airflow	Airflow Target	Verified EER/EER2	Verified SEER/SEER2	Verified Refrigerant Charge	Verified HSPF/HSPF2	Verified Heating Cap 47	Verified Heating Cap 17
Heat Pump System 1-hers-htpump	Not Required	0	Not Required	Not Required	No	No	Yes	Yes

Registration Number: 423-P01011176A-000-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

**CF1R-PRF-01E**

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG


**Calculation Date/Time:** 2023-06-25T12:36:17-07:00

**(Page 11 of 12)**

**Calculation Description:** Title 24 Analysis

**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

INDOOR AIR QUALITY (IAQ) FANS								
01	02	03	04	05	06	07	08	09
Dwelling Unit	Airflow (CFM)	Fan Efficacy (W/CFM)	IAQ Fan Type	Includes Heat/Energy Recovery?	IAQ Recovery Effectiveness - SRE	Includes Fault Indicator Display?	HERS Verification	Status
SFam IAQVentRpt	58	0.35	Exhaust	No	n/a	No	Yes	



Registration Number: 423-P01011176A-000-000-0000000-0000

Registration Date/Time: 06/27/2023 16:28

HERS Provider: CHEERS

*NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.*

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901

**CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD**

CF1R-PRF-01E

**Project Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG**Calculation Date/Time:** 2023-06-25T12:36:17-07:00**(Page 12 of 12)****Calculation Description:** Title 24 Analysis**Input File Name:** 2306-22-0336 Chula-Vista ADU -- 1199 L-Shape -- Standard 2BR SOG.ribd22x

<b>DOCUMENTATION AUTHOR'S DECLARATION STATEMENT</b>	
1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name: Kenneth Ponce	Documentation Author Signature: <i>Kenneth Ponce</i>
Company: So Cal Title 24	Signature Date: 06/27/2023
Address: 8659 Red Oak Street, Suite I	CEA/ HERS Certification Identification (If applicable):
City/State/Zip: Rancho Cucamonga, CA 91730	Phone: 909-257-7547
<b>RESPONSIBLE PERSON'S DECLARATION STATEMENT</b>	
I certify the following under penalty of perjury, under the laws of the State of California:	
<ol style="list-style-type: none"> <li>1. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design identified on this Certificate of Compliance.</li> <li>2. I certify that the energy features and performance specifications identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.</li> <li>3. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.</li> </ol>	
Responsible Designer Name: Mike Moore	Responsible Designer Signature: <i>Mike Moore</i>
Company: Snap ADU	Date Signed: 06/27/2023
Address: PO Box 2685	License:
City/State/Zip: Carlsbad, CA 92018	Phone: (760) 259-1985

*Digitally signed by California Home Energy Efficiency Rating Services (CHEERS). This digital signature is provided in order to secure the content of this registered document, and in no way implies Registration Provider responsibility for the accuracy of the information.*

**Registration Number:** 423-P01011176A-000-000-0000000-0000**Registration Date/Time:** 06/27/2023 16:28**HERS Provider:** CHEERS

*NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.*

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Version: 2022.0.000

Report Generated: 2023-06-25 12:37:04

Schema Version: rev 20220901